



# **VIKING RescYou™** **A full range of** **yachting liferafts**

VIKING LIFE-SAVING EQUIPMENT (America), Inc.



## You get all this with a VIKING liferaft:

- ❶ The base material of every liferaft is the strong, yet flexible, natural rubber
- ❷ Fluorescent yellow canopy enhances visibility from a distance
- ❸ Two separate buoyancy chambers each capable of supporting the maximum amount of passengers
- ❹ Four 55 liter quick filling, weighted ballast bags offer maximum stability and prevent capsizing in heavy seas
- ❺ SOLAS high-visibility retro-reflective tape on canopy, sides, buoyancy chambers and under the liferaft
- ❻ Automatic SOLAS/USCG exterior and interior light
- ❼ Easy slide zippers offer the ability to increase freeboard even when the hands are cold
- ❽ Internal and external lifelines
- ❾ Rain water collector (on the RescYou™ Pro and RescYou™)
- ❿ Innovative boarding ramp ensures safe and quick embarkation
- ⓫ Large opening allows for helicopter evacuation from within
- ⓬ Two openings increase the view of the horizon and improves cross-ventilation

**SELF-RIGHTS  
IN SECONDS**



# VIKING RescYou™ Pro

**The ultimate liferaft for all types of cruising and sport fishing, where comfort and safety go hand in hand**

VIKING RescYou™ Pro is our top of the line leisure liferaft. The automatic self-righting function ensures the liferaft is immediately ready for boarding. In addition to its many advanced features, it offers generous space and headroom within.

The curtained windows provide an excellent view of the horizon without the need to open the canopy. The double blue canopy liner and inflatable double floor greatly aid in your protection from hypothermia.

RescYou™ Pro is ISO 9650-1 group A certified and third-party approved by DNV. The liferaft also meets the ISAF rules.



*The automatically self-righting VIKING RescYou™ Pro is ready for boarding within seconds*

Type of liferaft: RescYou™ Pro	Stowed dimensions LxWxH	Mounted in deck cradle(H)	Weight (incl. equipment)
4 person, container	31" x 22.6" x 11.6"	12.6"	88 lbs.
4 person, valise	29" x 13" x 13"		75 lbs.
6 person, container	31" x 22.6" x 12.6"	13.6"	101 lbs.
6 person, valise	30" x 16" x 14"		88 lbs.
8 person, container	31" x 22.6" x 12.6"	13.6"	116 lbs.
8 person, valise	30" x 18" x 16"		101 lbs.

*\* Dimensions for liferaft in valise are approximate.*



# VIKING RescYou™ Ocean

**The traditional liferaft for cruising and sport fishing on the open sea**

The VIKING RescYou™ Ocean is the traditional liferaft in VIKING's Yachting Range. The large canopy opening and the innovative boarding ramp ensures fast and easy boarding.

The insulated double inflatable floor provides hypothermia protection and the two canopy openings offer an excellent view of the horizon plus cross ventilation.

There are no compromises on safety when choosing a VIKING liferaft. The RescYou™ Ocean is ISO 9650-1 group A certified and third-party approved by DNV. The liferaft also meets the ISAF rules.



Type of liferaft: RescYou™ Ocean	Stowed dimensions LxWxH	Mounted in deck cradle(H)	Weight (incl. equipment)
4 person, container	29" x 18" x 11.6"	12.6"	78 lbs.
4 person, valise	29" x 13" x 13"		64 lbs.
6 person, container	31" x 22.6" x 11.6"	12.6"	90 lbs.
6 person, valise	30" x 16" x 14"		77 lbs.
8 person, container	31" x 22.6" x 12.6"	13.6"	104 lbs.
8 person, valise	30" x 16" x 14"		85 lbs.

\* Dimensions for liferaft in valise are approximate.



# VIKING RescYou™ Coastal

**The smart solution for coastal cruising and sport fishing near rescue points**

VIKING RescYou™ Coastal is the smart solution if you boat in coastal or inland waters near rescue points. Lightweight and easy to transport and fit on board.

Exceeding requirements for ISO 9650-2 approval, this model includes a wide range of additional features including an automatically inflatable canopy, innovated boarding ramp providing fast and easy boarding, and full compliment of SOLAS flares.

The VIKING RescYou™ Coastal liferaft comes with a specifically designed coastal survival emergency pack that covers all basic needs in coastal rescue situations.



Type of liferaft: RescYou™ Coastal	Stowed dimensions LxWxH	Mounted in deck cradle(H)	Weight (incl. equipment)
<b>6 person, container</b>	29" x 18" x 10.6	11.6"	66 lbs
<b>6 person, valise</b>	29" x 13" x 13"		55 lbs

*\* Dimensions for liferaft in valise are approximate.*

# Liferaft contents

Life-Saving Equipment is packed according to relevant regulations. VIKING provides three year service intervals and exclusively packs only high quality SOLAS/USCG approved survival equipment.

Liferaft Emergency Equipment Pack Contents <i>Content is based on a 6 person liferaft, packed with USCG approved emergency pack.</i>	Offshore e-pack: RescYou™ Ocean/ RescYou™ Pro	RescYou™ Coastal	Optional Equipment Packs		
			ISO I	ISO II	SOLAS B
SOLAS parachute rocket signals	2	2	2	2	2
SOLAS handflares	3	3	6	3	3
SOLAS flashlight with extra batteries and bulb	1	1	2	1	1
Whistle	1	1	1	1	1
SOLAS/USCG signaling mirror	1	1	1	1	1
SOLAS/USCG drinking water (L)	3	0	9	3	0
SOLAS first aid kit	1	0	1	0	0
Anti-seasickness tablets	36	36	36	36	36
Bailer	1	1	1	1	1
Sponges	2	2	2	2	2
Survival instructions	1	1	1	1	1
Table of life-saving signals	1	1	1	1	1
Seasickness bags	6	6	6	6	0
SOLAS/USCG thermal survival bag	0	0	2	0	3
Emergency ration (kg)	0	0	3	0	0
Bellows/pump	1	1	1	1	1
Leak stopper (set a' 3pcs)	1	1	1	1	1
Sunscreen	0	0	2	0	0
Drinking cup	1	0	0	0	0
Safety tin opener	3	0	0	0	0
SOLAS fishing kit	1	0	0	0	0
Extra sea anchor and line	0	0	0	0	1
Scissors	1	0	0	0	0
SOLAS/USCG smoke signal	0	0	0	0	1
Repair kit	1	1	0	0	0
Liferaft Equipment	Offshore e-pack: RescYou™ Ocean/ RescYou™ Pro	RescYou™ Coastal	ISO I	ISO II	SOLAS B
Immediate Precautions	1	1	1	1	1
Sea anchor with line	1	1	1	1	1
Buoyant safety knife	1	1	1	1	1
Paddles (set)	1	1	1	1	1
Rescue quoit with line	1	1	1	1	1
Water bags (set)	1	1	1	1	1
Radar reflector	0	0	0	0	1



# Storage and mounting

## Choose either a valise or a container

Storage decision depends on your vessel's stowage capabilities. Liferafts should be stored where they are accessible and are able to be deployed within 60 seconds.

VIKING containers may be rail or deck mounted, the versatile easily portable valise should be stowed in a dry area below or in a waterproof deck box.

## How to mount a liferaft container.

In addition to a manual, 3D animated mounting instruction films are available on [VIKING-Yachting.com](http://VIKING-Yachting.com), YouTube or by scanning the QR codes.



*Rail mount*



*Deck mount*



*Deck mount with HRU*



## Mounting brackets for VIKING liferafts

The mounting brackets are made of high quality stainless steel.


## HRU – Hydrostatic Release Unit

A hydrostatic release unit, or HRU, enables liferafts to surface and inflate automatically when a vessel is sinking. Simple to install and releases at all angles – requiring only water pressure to activate.



# VIKING on YouTube

Become a liferaft expert in minutes



The films describe all important parts of a liferaft and takes you through the entire equipment list step by step.

There's a total of three educational videos – one for each liferaft in the RescYou™ range.

Further there are three 3D instructional films about mounting of a VIKING liferaft container.



[YouTube.com/user/VIKINGyachting](https://www.youtube.com/user/VIKINGyachting)

## Global servicing network

We've got you covered wherever you are

VIKING follows the ISO recommendation of 3 year service intervals for leisure liferafts extending the lifetime and assuring it is in perfect working order.

VIKING provides a global network of 275 authorised servicing stations so no matter where you are you are able to access a VIKING servicing facility.

Servicing prices may vary around the world.

Locate the nearest servicing facility at [www.VIKING-yachting.com](http://www.VIKING-yachting.com).

DEALER

**VIKING LIFE-SAVING EQUIPMENT (America), Inc.**

11255 NW 106 St., Suite 1 • 33178 Florida, Miami • U.S.A.  
Tel: +1 (786) 350-8449 • +1 (786) 513-9836 • Fax: +1 (786) 513-9910  
e-mail: [usasales@viking-life.com](mailto:usasales@viking-life.com) • [www.VIKING-yachting.com](http://www.VIKING-yachting.com)